

Compiling and Linking with Static and Shared Libraries Using Multiple Programming Languages

Dr. Axel Kohlmeyer

Associate Dean for Scientific Computing
College of Science and Technology
Temple University, Philadelphia

<http://sites.google.com/site/akohlmey/>

a.kohlmeyer@temple.edu

Pre-process / Compile / Link

- Creating an executable includes multiple steps
- The “compiler” (gcc) is a wrapper for several commands that are executed in succession
- The “compiler flags” similarly fall into categories and are handed down to the respective tools
- The “wrapper” selects the compiler language from source file name, but links “its” runtime
- We will look into a C example first, since this is the language the OS is (mostly) written in

A simple C Example

- Consider the minimal C program 'hello.c':

```
#include <stdio.h>
int main(int argc, char **argv)
{
    printf("hello world\n");
    return 0;
}
```
- i.e.: what happens, if we do:

```
> gcc -o hello hello.c
```


(try:

```
gcc -v -o hello hello.c
```

)

Step 1: Pre-processing

- Pre-processing is mandatory in C (and C++)
- Pre-processing will handle '#' directives
 - File inclusion with support for nested inclusion
 - Conditional compilation and Macro expansion
- In this case: **`/usr/include/stdio.h`**
 - and all files are included by it - are inserted and the contained macros expanded
- Use -E flag to stop after pre-processing:
> **`cc -E -o hello.pp.c hello.c`**

Step 2: Compilation

- Compiler converts a high-level language into the specific instruction set of the target CPU
- Individual steps:
 - Parse text (lexical + syntactical analysis)
 - Do language specific transformations
 - Translate to internal representation units (IRs)
 - Optimization (reorder, merge, eliminate)
 - Replace IRs with pieces of assembler language
- Try:> `gcc -S hello.c` (produces `hello.s`)

Compilation cont'd

```
.file "hello.c"
.section .rodata
.LC0:
.string "hello, world!"
.text
.globl main
.type main, @function
main:
    pushl   %ebp
    movl   %esp, %ebp
    andl   $-16, %esp
    subl   $16, %esp
    movl   $.LC0, (%esp)
    call   puts
    movl   $0, %eax
    leave
    ret
.size    main, .-main
.ident   "GCC: (GNU) 4.5.1 20100924 (Red Hat 4.5.1-4)"
.section .note.GNU-stack,"",@progbits
```

gcc replaced printf with puts

try: gcc -fno-builtin -S hello.c

```
#include <stdio.h>
int main(int argc,
          char **argv)
{
    printf("hello world\n");
    return 0;
}
```

call puts

Step 3: Assembler / Step 4: Linker

- Assembler (as) translates assembly to binary
 - Creates so-called object files (in ELF format)

```
Try: > gcc -c hello.c
```

```
Try: > nm hello.o
```

```
00000000 T main
          U puts
```

- Linker (ld) puts binary together with startup code and required libraries
- Final step, result is executable.

```
Try: > gcc -o hello hello.o
```

Adding Libraries

- Example 2: exp.c

```
#include <math.h>
#include <stdio.h>
int main(int argc, char **argv)
{
    double a=2.0;
    printf("exp(2.0)=%f\n", exp(a));
    return 0;
}
```

- > gcc -o exp exp.c
Fails with “undefined reference to 'exp'”. Add: -lm
- > gcc -O3 -o exp exp.c
Works due to inlining at high optimization level.

Symbols in Object Files & Visibility

- Compiled object files have multiple sections and a symbol table describing their entries:
 - “Text”: this is executable code
 - “Data”: pre-allocated variables storage
 - “Constants”: read-only data
 - “Undefined”: symbols that are used but not defined
 - “Debug”: debugger information (e.g. line numbers)
- Entries in the object files can be inspected with either the “nm” tool or the “readelf” command

Example File: visibility.c

```
static const int val1 = -5;
const int val2 = 10;
static int val3 = -20;
int val4 = -15;
extern int errno;

static int add_abs(const int v1, const int v2) {
    return abs(v1)+abs(v2);
}

int main(int argc, char **argv) {
    int val5 = 20;
    printf("%d / %d / %d\n",
        add_abs(val1,val2),
        add_abs(val3,val4),
        add_abs(val1,val5));
    return 0;
}
```

```
nm visibility.o:
00000000 t add_abs
                U errno
00000024 T main
                U printf
00000000 r val1
00000004 R val2
00000000 d val3
00000004 D val4
```

What Happens During Linking?

- Historically, the linker combines a “startup object” (crt1.o) with all compiled or listed object files, the C library (libc) and a “finish object” (crtn.o) into an executable (a.out)
- With current compilers it is more complicated
- The linker then “builds” the executable by matching undefined references with available entries in the symbol tables of the objects
- crt1.o has an undefined reference to “main” thus C programs start at the main() function

Static Libraries

- Static libraries built with the “ar” command are collections of objects with a global symbol table
- When linking to a static library, object code is copied into the resulting executable and all direct addresses recomputed (e.g. for “jumps”)
- Symbols are resolved “from left to right”, so circular dependencies require to list libraries multiple times or use a special linker flag
- When linking only the name of the symbol is checked, not whether its argument list matches

Shared Libraries

- Shared libraries are more like executables that are missing the `main()` function
- When linking to a shared library, a marker is added to load the library by its “generic” name (soname) and the list of undefined symbols
- When resolving a symbol (function) from shared library all addresses have to be recomputed (relocated) on the fly.
- The shared linker program is executed first and then loads the executable and its dependencies

Differences When Linking

- Static libraries are fully resolved “left to right”; circular dependencies are only resolved between explicit objects or inside a library
-> need to specify libraries multiple times
or use: **-Wl,--start-group (...) -Wl,--end-group**
- Shared libraries symbols are not fully resolved at link time, only checked for symbols required by the object files. Full check only at runtime.
- Shared libraries may depend on other shared libraries whose symbols will be globally visible

Semi-static Linking

- Fully static linking is a bad idea with GNU libc; it requires matching shared objects for NSS
- Dynamic linkage of add-on libraries requires a compatible version to be installed (e.g. MKL)
- Static linkage of individual libs via linker flags
-Wl,-Bstatic,-lfftw3,-Bdynamic
- can be combined with grouping, example:
**-Wl,--start-group,-Bstatic **
**-lmkl_gf_lp64 -lmkl_sequential **
-lmkl_core -Wl,--end-group,-Bdynamic

Meta-Libraries

- GNU linker supports linker scripts as a library
- Can be used to build a library-of-libraries:
[~]\$ cat libscalapack.a

GROUP (-lscalapack_gnu -lblacsF77 -lblacs -llapack -lf77blas)
- To link the entire sequence of libraries only the flag `-lscalapack` is needed
- Useful to hide implementation details or handle library dependencies for static libraries (not a problem with shared libraries, **if** the shared library is linked to its dependencies)

Dynamic Linker Properties

- Linux defaults to dynamic libraries:
> ldd hello
linux-gate.so.1 => (0x0049d000)
libc.so.6 => /lib/libc.so.6
(0x005a0000)
/lib/ld-linux.so.2 (0x0057b000)
- **/etc/ld.so.conf, LD_LIBRARY_PATH** define where to search for shared libraries
- **gcc -Wl, -rpath, /some/dir** will encode **/some/dir** into the binary for searching

Using LD_PRELOAD

- Using the LD_PRELOAD environment variable, symbols from a shared object can be preloaded into the global object table and will override those in later resolved shared libraries
=> replace specific functions in a shared library
- Example: override log() with a faster version:

```
#include "amdlibm.h"  
double log(double x) { return amd_log(x); }  
gcc -shared -o fasterlog.so faster.c -lamdlibm
```
- LD_PRELOAD=./fasterlog.so ./myprog-with

Before LD_PRELOAD

PerfTop: 8016 irqs/sec kernel: 9.9% exact: 0.0% [1000Hz cycles], (all, 8 CPUs)

samples	pcnt	function	DSO
53462.00	52.2%	ieee754_log	/lib64/libm-2.12.so
10490.00	10.3%	R_binary	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
8704.00	8.5%	clear_page_c	[kernel.kallsyms]
5737.00	5.6%	__ieee754_exp	/lib64/libm-2.12.so
4645.00	4.5%	math1	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
3070.00	3.0%	__log	/lib64/libm-2.12.so
3020.00	3.0%	__isnan	/lib64/libc-2.12.so
2094.00	2.0%	R_gc_internal	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
1643.00	1.6%	do_summary	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
1251.00	1.2%	__isnan@plt	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
1210.00	1.2%	real_relop	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
1161.00	1.1%	__GI__exp	/lib64/libm-2.12.so
754.00	0.7%	__isnan	/lib64/libm-2.12.so
739.00	0.7%	R_log	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
553.00	0.5%	__kernel_standard	/lib64/libm-2.12.so
550.00	0.5%	do_abs	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
462.00	0.5%	__mul	/lib64/libm-2.12.so
439.00	0.4%	coerceToReal	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
413.00	0.4%	finite	/lib64/libm-2.12.so
358.00	0.3%	log@plt	/opt/bin/f/R-2.13.0/lib64/R/bin/exec/R
182.00	0.2%	get_page_from_freelist	[kernel.kallsyms]
120.00	0.1%	__alloc_pages_nodemask	[kernel.kallsyms]



After LD_PRELOAD

PerfTop: 8020 irqs/sec kernel:17.2% exact: 0.0% [1000Hz cycles], (all, 8 CPUs)

samples	pcnt	function	DSO
24702.00	19.5%	__amd_bas64_log	/opt/libs/fastermath-0.1/libamdlibm.so
22270.00	17.6%	R_binary	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
18463.00	14.6%	clear_page_c	[kernel.kallsyms]
10480.00	8.3%	__ieee754_exp	/lib64/libm-2.12.so
9834.00	7.8%	math1	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
9155.00	7.2%	log	/opt/libs/fastermath-0.1/fasterlog.so
6269.00	5.0%	__isnan	/lib64/libc-2.12.so
4214.00	3.3%	R_gc_internal	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
3074.00	2.4%	do_summary	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
2285.00	1.8%	real_relop	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
2257.00	1.8%	__isnan@plt	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
2076.00	1.6%	__GI__exp	/lib64/libm-2.12.so
1346.00	1.1%	R_log	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
1213.00	1.0%	do_abs	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
1075.00	0.8%	__kernel_standard	/lib64/libm-2.12.so
894.00	0.7%	coerceToReal	/opt/binf/R-2.13.0/lib64/R/bin/exec/R
780.00	0.6%	__mul	/lib64/libm-2.12.so
756.00	0.6%	finite	/lib64/libm-2.12.so
729.00	0.6%	amd_log@plt	/opt/libs/fastermath-0.1/fasterlog.so
706.00	0.6%	amd_log	/opt/libs/fastermath-0.1/libamdlibm.so
674.00	0.5%	log@plt	/opt/binf/R-2.13.0/lib64/R/bin/exec/R

Difference Between C and Fortran

- Basic compilation principles are the same
=> preprocess, compile, assemble, link
- In Fortran, symbols are case insensitive
=> most compilers translate them to lower case
- In Fortran symbol names may be modified to make them different from C symbols
(e.g. append one or more underscores)
- Fortran entry point is not “main” (no arguments)
PROGRAM => MAIN__ (in gfortran)
- C-like main() provided as startup (to store args)

Pre-processing in C and Fortran

- Pre-processing is mandatory in C/C++
- Pre-processing is optional in Fortran
- Fortran pre-processing enabled implicitly via file name: name.F, name.F90, name.FOR
- Legacy Fortran packages often use /lib/cpp:
/lib/cpp -C -P **-traditional** -o name.f name.F
 - -C : keep comments (may be legal Fortran code)
 - -P : no '#line' markers (not legal Fortran syntax)
 - -traditional : don't collapse whitespace (incompatible with fixed format sources)

Fortran Symbols Example

```
SUBROUTINE GREET                                0000006d t MAIN__
  PRINT*, 'HELLO, WORLD!'                        U _gfortran_set_args
END SUBROUTINE GREET                            U _gfortran_set_options
                                                U _gfortran_st_write
program hello                                    U _gfortran_st_write_done
  call greet                                     U _gfortran_transfer_character
end program                                     00000000 T greet_
                                                0000007a T main
```

- “program” becomes symbol “MAIN__” (compiler dependent)
- “subroutine” name becomes lower case with '_' appended
- several “undefines” with '_gfortran' prefix
 - => calls into the Fortran runtime library, libgfortran
- cannot link object with “gcc” alone, need to add -lgfortran
 - => cannot mix and match Fortran objects from different compilers

Fortran 90+ Modules

- When subroutines or variables are defined inside a module, they have to be hidden

```
module func
  integer :: val5, val6
contains
  integer function add_abs(v1,v2)
    integer, intent(in) :: v1, v2
    add_abs = iabs(v1)+iabs(v2)
  end function add_abs
end module func
```

- gfortran creates the following symbols:

```
00000000 T __func_MOD_add_abs
00000000 B __func_MOD_val5
00000004 B __func_MOD_val6
```


The Next Level: C++

- In C++ functions with different number or type of arguments can be defined (overloading)
=> encode prototype into symbol name:

Example : symbol for `int add_abs(int,int)`
becomes: `_ZL7add_absii`

- Note: the return type is not encoded
- C++ symbols are no longer compatible with C
=> add 'extern "C"' qualifier for C style symbols
- C++ symbol encoding is compiler specific

C++ Namespaces and Classes vs. Fortran 90 Modules

- Fortran 90 modules share functionality with classes and namespaces in C++
- C++ namespaces are encoded in symbols
Example: `int func::add_abs(int, int)`
becomes: `_ZN4funcL7add_absEii`
- C++ classes are encoded the same way
- Figuring out which symbol to encode into the object as undefined is the job of the compiler
- When using the gdb debugger use '::' syntax

Why We Need Header or Module Files

- The linker is “blind” for any language specific properties of a symbol => checking of the validity of the interface of a function is only possible during compilation
- A header or module file contains the prototype of the function (not the implementation) and the compiler can compare it to its use
- Important: header/module has to match library => Problem with FFTW-2.x: cannot tell if library was compiled for single or double precision

Calling C from Fortran 77

- Need to make C function look like Fortran 77
 - Append underscore (except on AIX, HP-UX)
 - Call by reference conventions
 - Best only used for “subroutine” constructs (cf. MPI) as passing return value of functions varies a lot:

```
void add_abs_(int *v1,int *v2,int *res){  
*res = abs(*v1)+abs(*v2);}
```
- Arrays are always passed as “flat” 1d arrays by providing a pointer to the first array element
- Strings are tricky (no terminal 0, length added)

Calling C from Fortran 77 Example

```
void sum_abs_(int *in, int *num, int *out) {  
    int i, sum;  
    sum = 0;  
    for (i=0; i < *num; ++i) { sum += abs(in[i]);}  
    *out = sum;  
    return;  
}
```

```
/* fortran code:  
integer, parameter :: n=200  
integer :: s, data(n)  
  
call SUM_ABS(data, n, s)  
print*, s  
*/
```

Calling Fortran 77 from C

- Inverse from previous, i.e. need to add underscore and use lower case (usually)
- Difficult for anything but Fortran 77 style calls since Fortran 90+ features need extra info
 - Shaped arrays, optional parameters, modules
- Arrays need to be “flat”,
C-style multi-dimensional arrays are lists of pointers to individual pieces of storage, which may not be consecutive
=> use 1d and compute position

Calling Fortran 77 From C Example

```
subroutine sum_abs(in, num, out)
  integer, intent(in)  :: num, in(num)
  integer, intent(out) :: out
  Integer              :: i, sum
  sum = 0
  do i=1,num
    sum = sum + ABS(in(i))
  end do
  out = sum
end subroutine sum_abs
!! c code:
!   const int n=200;
!   int data[n], s;
!   sum_abs_(data, &n, &s);
!   printf("%d\n", s);
```

Modern Fortran vs C Interoperability

- Fortran 2003 introduces a standardized way to tell Fortran how C functions look like and how to make Fortran functions have a C-style ABI
- Module “iso_c_binding” provides kind definition: e.g. C_INT, C_FLOAT, C_SIGNED_CHAR
- Subroutines can be declared with “BIND(C)”
- Arguments can be given the property “VALUE” to indicate C-style call-by-value conventions
- String passing tricky, needs explicit 0-terminus

Calling C from Fortran 03 Example

```
int sum_abs(int *in, int num) {
    int i,sum;
    for (i=0,sum=0;i<num;++i) {sum += abs(in[i]);}
    return sum;
}
/* fortran code:
use iso_c_binding, only: c_int
interface
    integer(c_int) function sum_abs(in, num) bind(C)
        use iso_c_binding, only: c_int
        integer(c_int), intent(in) :: in(*)
        integer(c_int), value :: num
    end function sum_abs
end interface
integer(c_int), parameter :: n=200
integer(c_int) :: data(n)
print*, SUM_ABS(data,n) */
```

Calling Fortran 03 From C Example

```
subroutine sum_abs(in, num, out) bind(c)
  use iso_c_binding, only : c_int
  integer(c_int), intent(in)   :: num, in(num)
  integer(c_int), intent(out)  :: out
  integer(c_int),              :: i, sum
  sum = 0
  do i=1,num
    sum = sum + ABS(in(i))
  end do
  out = sum
end subroutine sum_abs
```

```
!! c code:
!   const int n=200;
!   int data[n], s;
!   sum_abs(data, &n, &s);
!   printf("%d\n", s);
```

Linking Multi-Language Binaries

- Inter-language calls via mutual C interface only due to name “mangling” of C++ / Fortran 90+ => extern “C”, ISO_C_BINDING, C wrappers
- Fortran “main” requires Fortran compiler for link
- Global static C++ objects require C++ for link => avoid static objects (good idea in general)
- Either language requires its runtime for link
=> GNU: -lstdc++ and -lgfortran
=> Intel: “its complicated” (use -# to find out)
more may be needed (-lgomp, -lpthread, -lm)

Compiling and Linking with Static and Shared Libraries Using Multiple Programming Languages

Dr. Axel Kohlmeyer

Associate Dean for Scientific Computing
College of Science and Technology
Temple University, Philadelphia

<http://sites.google.com/site/akohlmey/>

a.kohlmeyer@temple.edu